




TENSION PANEL LAYOUT




DETAIL B
NTS



DETAIL B
NTS



DETAIL A MASHFLEX TENSION BAY LAYOUT
NTS



CROSS-SECTION OF ROPE
7 WIRES PER STRAND
3 STRANDS PER ROPE

NOTES:

1. ALL MEASUREMENTS ARE IN mm UNLESS STATED OTHERWISE.
2. UPON COMPLETION, THE TENSION BAYS SHALL NOT BE MORE THAN 90% (40mm GAP) OF THEIR FULL EXTENT TO ALLOW FOR FURTHER ADJUSTMENT. THE NUTS SHOULD ALSO HAVE A MINIMUM 40mm EXPOSED THREAD BEYOND NUT WHEN TENSIONED.

REV	DATE	DESCRIPTION	DRAWN	CHECKED	APPROVED
0		ORIGINAL ISSUE			

DRAWING NUMBER	REFERENCE DRAWINGS

NAME	DATE
DRAWN VB	14-11-2019
CHECKED LG	14-11-2019
APPROVED LG	14-11-2019
SCALE	N.T.S. @ A3
ISSUE FOR	INFORMATION ONLY

DRAWING AND CONTENTS ARE COPYRIGHT TO INGAL CIVIL PRODUCTS AND CAN ONLY BE USED WITH PRIOR WRITTEN CONSENT FROM INGAL CIVIL PRODUCTS
57-65 AIRDS ROAD PH. +61 2 9827 3333
MINTO, N.S.W 2566 www.ingalcivil.com.au

PROJECT	MASHFLEX WRSB
TITLE	TENSION PANEL ARRANGEMENT

INGAL CIVIL PRODUCTS PART No.	
DRAWING No.	WR-MF-059