



VIEW (A)  
SCALE 1:10



**NOTES:**

1. ALL STEEL COIL TO CONFORM TO AS/NZS 1594 GRADE HU300 U.O.N.  
ALL STEEL PLATES TO CONFORM TO AS/NZS 3678 GRADE 250 U.O.N.
2. ALL STEEL BARS AND SECTIONS TO CONFORM TO AS/NZS 3679 GRADE 250 U.O.N.
3. ALL WELDS TO CONFORM TO AS/NZS 1554 PART 1
4. ALL TAPER LOCK JOINT LENGTHS ARE NOMINAL U.O.N.
5. ALL STEEL TO BE FULLY HOT DIP GALVANIZED AFTER FABRICATION  
IN ACCORDANCE WITH AS/NZS 4680

			COPYRIGHT THIS DOCUMENT PRODUCED BY INGAL EPS MUST NOT BE COPIED, TRACED, REPRODUCED, OR LENT WITHOUT WRITTEN CONSENT			<h1>INGAL EPS</h1>					
			DIMENSIONS IN MILLIMETRES 			LOWERING SYSTEMS – POWERLIFT 12m LIGHT DUTY PARK RANGE BASEPLATE MOUNTED RIVERTON DESIGN			CATALOGUE NUMBER PPL12F DRAWING NUMBER PPL12F		
0	11/11/02	FIRST ISSUE	I.W.	PEA		CHECKED BY PRA			DATE 11/11/02		
REV	DATE	DESCRIPTION	BY	CHKD	A4	DO NOT SCALE			DRAWN BY I. WHITE		
CUSTOMER/PROJECT						SCALE 1:70			CAD FILE No. Z:\ACAD\STD\POWERLIFT\PPL12F		