



VIEW (A)
SCALE 1:10

NOTES:

1. ALL STEEL COIL TO CONFORM TO AS 1594 GRADE HU300 U.O.N.
ALL STEEL PLATES TO CONFORM TO AS 3678 GRADE 250 U.O.N.
2. ALL STEEL BARS AND SECTIONS TO CONFORM TO AS 3679 GRADE 250 U.O.N.
3. ALL WELDS ARE TO CONFORM TO AS 1554 PART 1
4. ALL SHARP EDGES AND BURRS TO BE REMOVED.
5. ALL TAPER LOCK JOINT LENGTHS ARE NOMINAL U.O.N.
6. ALL STEEL TO BE FULLY HOT DIP GALVANIZED AFTER FABRICATION
IN ACCORDANCE WITH AS 4680
7. WORKSHOP FABRICATION TO BE DONE ACCORDING TO RIVERTON STANDARD
TOLERANCE SHEET. (REFER TO SHEET DRG No. WS 160.)

1	12/6/02	DRG / PART No. WAS PL20010F	I.W.	PPA
0	25/11/98	FIRST ISSUE	I.W.	PPA
REV	DATE	DESCRIPTION	BY	CHKD
CUSTOMER/PROJECT				

COPYRIGHT
THIS DOCUMENT PRODUCED
BY INGAL EPS MUST NOT
BE COPIED, TRACED,
REPRODUCED, OR LENT
WITHOUT WRITTEN CONSENT

DIMENSIONS IN MILLIMETRES

DO NOT SCALE

CHECKED BY: PPA
DATE: 25/11/98

INGAL EPS		CATALOGUE NUMBER PPLL10F
LOWERING SYSTEMS – POWERLIFT 10m EXTRA LIGHT DUTY PARK RANGE BASEPLATE MOUNTED RIVERTON DESIGN		DRAWING NUMBER PPLL10F
DATE 25/11/98	DRAWN BY I. WHITE	CAD FILE No. Z:\ACAD\PL\200\PL20010F
SCALE 1:50		