



**CONTROL GEAR
CLEARANCES**

BASEPLATE DETAIL

- NOTES:**
- 1. ALL STEEL COIL TO CONFORM TO AS/NZS 1594 GRADE HU300 U.O.N.
ALL STEEL PLATES TO CONFORM TO AS/NZS 3678 GRADE 250 U.O.N.
 - 2. ALL STEEL BARS AND SECTIONS TO CONFORM TO AS/NZS 3679 GRADE 250 U.O.N.
 - 3. ALL WELDS TO CONFORM TO AS/NZS 1554 PART 1
 - 4. ALL TAPER LOCK JOINT LENGTHS ARE NOMINAL U.O.N.
 - 5. ALL STEEL TO BE FULLY HOT DIP GALVANIZED AFTER FABRICATION
IN ACCORDANCE WITH AS/NZS 4680

0	19/1/99	FIRST ISSUE					
REV	DATE	DESCRIPTION	BY	CHKD			
CUSTOMER/PROJECT							

COPYRIGHT
THIS DOCUMENT PRODUCED
BY INGAL EPS MUST NOT
BE COPIED, TRACED,
REPRODUCED, OR LENT
WITHOUT WRITTEN CONSENT

DIMENSIONS IN MILLIMETRES
DO NOT SCALE
CHECKED BY DATE
11/02/00

INGAL EPS			
STREET LIGHTING 12m, 1.5m DOUBLE OUTREACH AVENUE BASEPLATE MOUNTED RIVERTON DESIGN			CATALOGUE NUMBER SAL12FDO15 DRAWING NUMBER SAL12FDO15
CHECKED BY PEA	DATE 11/02/00	DRAWN BY I. WHITE	SCALE 1:60 CAD FILE No. Z:\ACAD\STD\AVENUE\SAL12F-D15