

C o l l e c t i o n S i g n a t u r e



Argo

valmont 
SERMETO



AGO Design by Greench

Concept novateur au dessin unique, il se compose d'un corps et de deux demi-noyaux réalisés en fonderie d'aluminium. Ils sont associés à un bras en aluminium diamètre 60, d'une saillie de 0,75m à 1,20m assurant un emmanchement universel aux lanternes latérales. Montage coiffant en tête de mât.

MÂTS

Acier cylindro-conique standard diamètre 60mm en top.

Hauteurs de mâts: 4m/ 5m/ 6m/ 7m/ 8m.

FINITIONS CONSEILLÉES

Mâts: Thermolaquage Sablé N°13 ou Chromium.

AGO: Thermolaquage Sablé N°13 et Chromium.

Afin de valoriser l'ensemble il est souhaitable de traiter le corps et les demi-noyaux de deux teintes distinctes en vue d'obtenir un effet contrasté.

OPTIONS

Pointe lumineuse «Ô'light».

Mini-prise Elec/Son.

Charnières Alto/Soprano.

Fermeture de porte anti-vol 3 empreintes.

AGO

Unique innovative concept, consisting of a body and two half-parts in cast aluminium. They are combined with a 60 diameter aluminum arm assuring a universal fitting for a lateral lantern. Each pole is complete with cover assembly at the top.

POLES

Round conical steel poles diameter 60mm in top.

Poles height: 4m / 5m / 6m / 7m / 8m.

RECOMMENDED FINISHES

Poles: RAL Sanded N°13 or Chromium.

AGO: RAL Sanded N°13 and Chromium.

To value the set it is recommended to paint the body and the two half-parts in two different colors to obtain a contrasted effect.


OPTIONS

Luminous spike «Ô'light».

Elec/Son socket.

Vandal proof doorlocking screw.

«Alto» & «Soprano» hinged door.



AGO, quand l'élégance devient modulaire.

A l'image du «chas d'une aiguille», une métaphore visuelle qui transpose l'outil du couturier en accessoire de «Prêt-à-porter Lumières».

AGO se module en fonction du besoin du projet. Associée à une lanterne performante photométriquement et à l'esthétisme fluide et compacte, **AGO** vous offrira un confort visuel lumineux ainsi qu'une nouvelle manière de valoriser l'éclairage urbain.

La rotation s'opère grâce à un indexage réalisé par deux demi-noyaux en alliage d'aluminium, qui assure le maintien en position tous les 5°. Cela permet à **AGO** de s'incrémenter de 0° à 15°.

AGO, when elegance becomes modular.

Just like the «needle's eye», a visual metaphor which transposes the dressmaker's tool into an accessory of «Prêt-à-porter Lumières».

AGO interchanges according to the project's need. Mixed with a performance lantern with both compact and fluid aesthetics, AGO will offer you a visual lighting comfort as well as a new way to value urban lighting.

The rotation is possible due to the two half part cast aluminium centre which maintains the position of 5 ° but then allows AGO to increment the bracket from 0 ° to 15 °


The Ago logo is positioned at the top center of the image. It consists of the word "Ago" in a stylized, orange, lowercase font. A thin, curved orange line extends from the left side of the letter "A" across the top of the image towards the right.

... Valmont Sermeto property ...

... Gamme hauteur ...

AGO se décline sur des fûts standards acier, diamètre 60 mm en top, allant de 4m à 8m.

Ago, launched from standard steel poles top diameter 60 mm, 4m to 8m height.





Valley, Nebraska, USA
Farmington, Minnesota, USA
Salem, Oregon, USA
Elkart, Indiana, USA
Commerce City, Colorado, USA
Selbyville, Delaware, USA
Brenham, Texas, USA
Plymouth, Indiana, USA

St. Julie, Quebec, Canada

Charmeil, France
Rive-de-Gier, France
Maarheeze, Hollande
Siedlce, Pologne
Gelsenkirchen, Allemagne
Chesterfield-Derbyshire, UK
Scarlino, Italie

Berrechid, Maroc

Shanghai, Chine
Guangzhou, Chine
Qingdao, Chine

valmont 
SERMETO

Valmont France
Les Martoulets
03110 CHARMEIL
FRANCE

 N°Azur 0 810 00 00 01

Tél: (33) 04 70 58 86 86
Fax: (33) 04 70 58 86 87
www.valmont-france.com